according to Regulation (EC) No 1907/2006

	Stellite 12 Powder	-
Revision date: 26.03.2024	Product code: DWS-003	Page 1 of 7
SECTION 1: Identification of t	he substance/mixture and of the company/undertaking	
1.1. Product identifier Stellite 12 Powder		
Further trade names KSPC1003-1		
UFI:	F7SV-70E5-R00M-750E	
1.2. Relevant identified uses of the	he substance or mixture and uses advised against	
Use of the substance/mixture Welding powder. For indus		
Uses advised against		
The product is only to be us	sed for the intended application.	
1.3. Details of the supplier of the	safety data sheet	
Company name:	Deloro Wear Solutions GmbH	
Street:	Zur Bergpflege 51 - 53	
Place:	D-56070 Koblenz	
Telephone:	+49 (261) 80880	
E-mail:	wearsolutions@deloro.com	
Contact person:	Frau Melanie Arens	
E-mail:	wearsolutions@deloro.com	
Internet:	http://www.deloro.com	
1.4. Emergency telephone	Poison Control Center (Mayence, GER): +49 (0)6131 - 19240 (24h) This safety	
number:	data sheet is an English translation of the EU safety data sheet and is not suitable for the distribution in a specific country.	

according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Acute Tox. 4; H302 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Muta. 2; H341 Carc. 1B; H350 Repr. 1B; H360F STOT RE 2; H373 Aquatic Chronic 4; H413

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

cobalt nickel powder

Signal word: Danger

according to Regulation (EC) No 1907/2006

Stellite 12 Powder Revision date: 26.03.2024 Product code: DWS-003 Page 2 of 11 **Pictograms:** Hazard statements H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334 H341 Suspected of causing genetic defects. H350 May cause cancer. H360F May damage fertility. H373 May cause damage to organs through prolonged or repeated exposure. May cause long lasting harmful effects to aquatic life. H413 **Precautionary statements** P260 Do not breathe dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing and eye protection/face protection. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. IF ON SKIN: Wash with plenty of water. P302+P352 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Dispose of contents/container to an appropriate recycling or disposal facility.

P501

Special labelling of certain mixtures

Restricted to professional users.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to Regulation (EC) No 1907/2006

Stellite 12 Powder

Revision date: 26.03.2024

Product code: DWS-003

Page 3 of 11

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) N	lo 1272/2008)		
7440-48-4	cobalt			> 50 %
	231-158-0	027-001-00-9		
	Carc. 1B, Muta. 2, Repr. 1B, Acu Chronic 4; H350 H341 H360F H	te Tox. 4, Eye Irrit. 2, Resp. Sens. 1, 802 H319 H334 H317 H413	Skin Sens. 1, Aquatic	
7440-47-3	-47-3 Chromium			25 - 50 %
	231-157-5			
7440-02-0	nickel powder			1 - 2,5 %
	231-111-4	028-002-01-4		
	Carc. 2, Skin Sens. 1, STOT RE	1, Aquatic Chronic 3; H351 H317 H37	72 H412	
7439-96-5	manganese			0,1 - 1 %
	231-105-1			
		•	•	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7440-48-4	231-158-0	cobalt	> 50 %
	oral: LD50 = 550 mg/kg		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of persistent symtoms, consult a doctor/physician. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Avoid dust generation. First aider: Pay attention to self-protection!

After inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. Where appropriate artificial ventilation. Seek medical help.

After contact with skin

Rinse skin with water. Change contaminated clothing. Consult a doctor if symptoms persist. The melted product can cause severe burns. After skin contact with melted product: 1. quickly cool with water (not ice), 2. do not pull off melted product from skin, 3. burns caused by the melted product must be treated medically.

After contact with eyes

In case of contact with eyes, rinse immediately (and under protection of the uninjured eye) with plenty of flowing water for 10 minutes, holding eyelids wide apart. Remove contact lenses. Consult an ophthalmologist. The melted product can cause severe burns. Rinse immediately carefully and thoroughly with eye-bath or water. Call a physician immediately.

After ingestion

Rinse mouth immediately and drink plenty of water. Seek medical advise. Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing genetic defects. May cause cancer.

according to Regulation (EC) No 1907/2006

Stellite 12 Powder

Revision date: 26.03.2024

Product code: DWS-003

Page 4 of 11

May damage fertility. May cause damage to organs through prolonged or repeated exposure if inhaled.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Respiratory or skin sensitisation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Chromium: Carbon dioxide (CO2).

5.2. Special hazards arising from the substance or mixture

The product is non-flammable. Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Carbon oxides

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Wear personal protection equipment. Do not inhale explosion and combustion gases.

Additional information

Contaminated fire-fighting water must be collected separately. Dispose of waste according to applicable legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid dust generation. Provide adequate ventilation. Avoid contact with skin and eyes. Wear personal protection equipment. Use appropriate respiratory protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Avoid generation of dust.

For cleaning up

Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Personal protection equipment: see section 8 Handling and storage: see section 7 For waste disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

When using do not eat, drink or smoke. Use personal protection equipment. Avoid contact with eyes and skin. Take off contaminated clothing and wash it before reuse. Do not breathe dust.

Advice on protection against fire and explosion

Contaminated fire-fighting water must be collected separately.

Advice on general occupational hygiene

Wash hands before breaks and after work. Do not eat, drink, smoke or sneeze at the workplace. Keep away from food, drink and animal feedingstuffs.

according to Regulation (EC) No 1907/2006

Stellite 12 Powder	
--------------------	--

Revision date: 26.03.2024

Product code: DWS-003

Page 5 of 11

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place.

Hints on joint storage

Store seperately from foodstuff.

7.3. Specific end use(s)

Welding powder. For industrial purposes only.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm ³	Category	Origin
7440-47-3	Chromium metal	-	2		TWA (8 h)	
7440-48-4	Cobalt	-	0.02		TWA (8 h)	
7439-96-5	Manganese (Respirable Fraction)	-	0.05		TWA (8 h)	
7440-02-0	Nickel	-	0.5		TWA (8 h)	
7440-21-3	Silicon Si, total inhalable dust	-	10		TWA (8 h)	
7440-33-7	Tungsten metal	-	5		TWA (8 h)	
		-	10		STEL (15 min)	

Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
7440-48-4	Cobalt	Cobalt	1 µg/L		End of shift at end of workweek
7440-47-3	Chromium	Total chromium	25 µg/L		End of shift at end of workweek
7440-02-0	Nickel	Ni	3 μg/L		After several consecutive working shifts

8.2. Exposure controls







Appropriate engineering controls

Ensure adequate ventilation. In case of application in interior spaces proper ventilation/exhaustion must be provided.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tighty fitting safety glasses with side shields.

Hand protection

Tested protective gloves are to be worn: For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The glove material has to be impermeable and resistant to the product / the substance / the mixture. When selecting the glove material, observe breakthrough times, permeation rates and degradation. Suitable material: NBR (Nitrile rubber).

according to Regulation (EC) No 1907/2006

Stellite 12 Powder

Revision date: 26.03.2024

Product code: DWS-003

Page 6 of 11

Coating thickness: 0,11 mm penetration time (maximum wearing period): 480 min

Skin protection

Full cover clothing covering arms and legs.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Use suitable breathing apparatus. Full-/half-/quarter-face masks (EN 136/140), P2, P3, FFP2, FFP3

Environmental exposure controls

Do not allow to enter into soil/subsoil. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid (Powder)	
Colour:	metallic	
Odour:	odourless	
Melting point/freezing point:		1285-1395 °C
Boiling point or initial boiling point and boiling range:		no data available
Flammability:		no data available
Lower explosion limits:		no data available
Upper explosion limits:		no data available
Flash point:		no data available
Auto-ignition temperature:		no data available
Decomposition temperature:		no data available
pH-Value:		no data available
Viscosity / kinematic:		no data available
Water solubility:		insoluble
Dissolution rate:		no data available
Partition coefficient n-octanol/water:		no data available
Dispersion stability:		no data available
Vapour pressure:		no data available
Density (at 20 °C):		8,44 g/cm ³
Relative density:		no data available
Bulk density:		no data available
Relative vapour density:		no data available
Particle characteristics:		no data available
9.2. Other information		
Information with regard to physical ha	azard classes	
Explosive properties		
not explosive.		
Self-ignition temperature		
Solid:		no data available
Gas:		no data available
Oxidizing properties Not oxidising.		
Other safety characteristics		
Sublimation point:		no data available
Softening point:		no data available
Pour point:		no data available

according to Regulation (EC) No 1907/2006

	Stellite 12 Powder	
6.03.2024	Product code: DWS-003	Pag

Revision date: 26.03.2024

. . . .

Page 7 of 11

no data available

Viscosity / dynamic: Further Information

no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactivity under regular conditions.

10.2. Chemical stability

The product is stable when stored and handled appropriately.

10.3. Possibility of hazardous reactions

No dangerous reactions to be expected if used properly.

10.4. Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

10.5. Incompatible materials

Oxidizing agents, strong. Acids.

10.6. Hazardous decomposition products

When used properly no hazardous products of decomposition are expected. Thermal decomposition can lead to the escape of irritating gases and vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) 500,0 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7440-48-4	cobalt				
	oral	LD50 550 mg/kg		supplier statement	

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (cobalt)

May cause an allergic skin reaction. (cobalt; nickel powder)

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing genetic defects. (cobalt) May cause cancer. (cobalt) May damage fertility. (cobalt)

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (nickel powder)

Aspiration hazard

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

Stellite	12	Powder
----------	----	--------

Revision date: 26.03.2024

Product code: DWS-003

Page 8 of 11

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

May cause long lasting harmful effects to aquatic life.

12.2. Persistence and degradability

No further data available.

12.3. Bioaccumulative potential

No further data available.

12.4. Mobility in soil

No further data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process. Dispose of waste according to applicable legislation.

Contaminated packaging

Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Inland waterways transport (ADN)14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:

Marine transport (IMDG)

14.1. UN number or ID number: 14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

according to Regulation (EC) No 1907/2006

	Stellite 12 Powder	
Revision date: 26.03.2024	Product code: DWS-003	Page 9 of 11
<u>14.2. UN proper shipping name:</u> 14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user No special precautions known. 14.7. Maritime transport in bulk according to	IMO instruments	
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture	
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 28, Entry 65, Entry 75 Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juv work protection guideline' (94/33/EC). Observe employment restrictio under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.	ns
Water hazard class (D):	3 - highly hazardous to water	
15.2. Chemical safety assessment		
Chemical safety assessments for subst	ances in this mixture were not carried out.	
SECTION 16: Other information		

Changes

This data sheet contains changes from the previous version in section(s): 1,16. Version 1,00 - 10.01.2024 - first creation Version 1,01 - 26.03.2024 - Adjustments in sections 1

according to Regulation (EC) No 1907/2006

Stellite 12 Powder

Revision date: 26.03.2024

Product code: DWS-003

Page 10 of 11

Abbreviations and acronyms

Acute Tox: Acute toxicity Eye Irrit: Eye irritation Resp. Sens: Respiratory sensitisation Skin Sens: Skin sensitisation Muta: Germ cell mutagenicity Carc: Carcinogenicity Repr: Reproductive toxicity STOT RE: Specific target organ toxicity - repeated exposure Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) BImSchV (Fed.Imm.Prot.Act): Directive on the Implementation of the Federal Immission Protection Act CAS: Chemical Abstracts Service DIN: Norm of the Deutsche Institut für Normung (German Institute for Standardization) EC: Effective Concentration EG: European Community (Europäische Gemeinschaft) EN: European Norm IATA: International Air Transport Association IBC Code: International Code for the Construction and Equipment of ships carrying Dangerous Chemicals in Bulk ICAO: International Civil Aviation Organization IMDG: International Maritime Code for Dangerous Goods ISO: Norm of the International Standards Organization CLP: Classification, Labeling, Packaging IUCLID: International Uniform ChemicaL Information Database LC: Lethal concentration LD: Lethal dose log Kow: Octanol/water partition coefficient MARPOL: Maritime Pollution Convention = Convention for the Prevention of Maritime Pollution from Ships OECD: Organisation for Economic Co-operation and Development PBT: Persistent, bio-cumulative, toxic RID: Regulation Concerning the International Transport of Dangerous Goods by Rail TRGS: Technische Regeln für Gefahrstoffe UN: United Nations VOC: Volatile Organic Compounds vPvB: very persistent and very bio-cumulative VwVwS: Administrative Regulation for Water Pollutants WGK: German Water Hazard Class GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances **DNEL: Derived No Effect Level** PNEC: Predicted No Effect Concentration TLV: Threshold Limiting Value STOT: Specific Target Organ Toxicity

according to Regulation (EC) No 1907/2006

Stellite 12 Powder

Revision date: 26.03.2024

Product code: DWS-003

Page 11 of 11

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Eye Irrit. 2; H319	Calculation method
Resp. Sens. 1; H334	Calculation method
Skin Sens. 1; H317	Calculation method
Muta. 2; H341	Calculation method
Carc. 1B; H350	Calculation method
Repr. 1B; H360F	Calculation method
STOT RE 2; H373	Calculation method
Aquatic Chronic 4; H413	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H351	Suspected of causing cancer.
H360F	May damage fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Further Information

The information given in this safety data sheet is to describe the product's safety regulations. It is not for guaranteeing certain characteristics and is based on today's knowledge. The safety data sheet was generated upon information of pre-suppliers by:

asseso AG, Ottostraße 1, 63741, Aschaffenburg, Germany Phone: +49 (0)6021 - 1 50 86-0, Fax: +49 (0)6021 - 1 50 86-77, E-Mail: eu-sds@asseso.eu, www.asseso.eu

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)